



RUKN AL MAJAZ

BUILDING MAT TR LLC



✉ ralmajaz@eim.ae

🌐 www.ruknalmajazaluminium.com




INTRODUCTION

RUKN AL MAJAZ BUILDING MATERIAL TR LLC





(RM BUILDING MATERIAL TR) established in 2016, is one of the leading traders of Aluminium Architectural Profiles & Non - Architectural Profiles, Thermal break profiles of major extrusion Companies. Also, we are dealing all the commercial Items like; Tubes, Angles, Channels, Kitchen Profiles, Aluminium Plain & Chequered Sheets in various thickness & sizes.


We are one of the suppliers of Gulf Extrusion, Arabian Extrusion, Classic Extrusion, White Aluminium Extrusion & Nalexco, with Powder Coating Facilities.




INDEX

NO.	TITLE	PAGES
01	SLIDING WINDOW 10 CM	1-2
02	SLIDING WINDOW 10 CM BOX UMBRELLA	3-4
03	SLIDING WINDOW 10.5 CM (NEW SERIES)	5-6
04	4.2 HINGED DOOR SERIES	7-11
05	4.5 HINGED DOOR SERIES	12-14
06	SLIDING WINDOW 10.5 CM (THERMAL BREAK) ARABIAN EXT	15
07	HINGED 10.5 CM (THERMAL BREAK) ARABIAN EXT	16-17
08	SLIDING WINDOW 12 CM (THERMAL BREAK) GULF EXT	18-19
09	SLIDING WINDOW 10.5 CM (THERMAL BREAK) GULF EXT	20
10	HINGED 10.5 CM (THERMAL BREAK) GULF EXT	21-23
11	HAND RAILS (STAIR CASE)	24
12	LOUVERS	25
13	CASTING PROFILES	26-27
14	CURTAIN WALL SERIES	28-30
15	KITCHEN SERIES	31
16	EQUAL ANGLES	32
17	UN EQUAL ANGLES	33
18	SQUARE TUBES	34
19	RECTANGULAR TUBES	35-36
20	U - CHANNELS	37
21	FLATBARS, ROUND PIPES, SQUARE BARS, ROUND BARS	38
22	ACCESSORIES	39-42
23	ALUMINIUM & HPL SHEETS	43







12032
(0.420 kg/m)




12033
(0.502 kg/m)




09041
(0.450 kg/m)




12390
(0.615 kg/m)




12204
(0.353 kg/m)




09201
(0.500 kg/m)







12616
(0.909 kg/m)




09931
(0.759 kg/m)




12617
(0.937 kg/m)



10010
(0.770 kg/m)






12669
(0.958 kg/m)





14298
(0.972 kg/m)











SLIDING WINDOW 10.5 CM (NEW SERIES)



10371
(0.298 kg/m)




10464
(0.271 kg/m)

















4.2 HINGED DOOR SERIES




4.2 HINGED DOOR SERIES









4.2 HINGED DOOR SERIES











4.2 HINGED DOOR SERIES











4.5 HINGED DOOR SERIES






4.5 HINGED DOOR SERIES







10371
(0.298 kg/m)




10377
(0.282 kg/m)




10464
(0.271 kg/m)




11321
(0.251 kg/m)




10692
(0.706 kg/m)




13237
(1.291 kg/m)




13466
(1.715 kg/m)




13789
(1.089 kg/m)











10381
(0.353 kg/m)


















10372
(0.279 kg/m)









10765
(0.473 kg/m)














TB 13711
(0.455 kg/m)










TB 22159
(0.145 kg/m)










TB 22193
(0.117 kg/m)




TB 22153
(0.542 kg/m)









TB 20224
(2.710 kg/m)




10372
(0.279 kg/m)




10371
(0.298 kg/m)




TB 20207
(1.503 kg/m)









TB 20212
(1.954 kg/m)














TB 20213
(1.928 kg/m)




TB 20214
(1.768 kg/m)









9153
(0.420 kg/m)




09029
(0.450 kg/m)




14713
(0.953 kg/m)




81434
(1.373 kg/m)









12730
(0.472 kg/m)














9226
(0.350 kg/m)



















11057
(0.310 kg/m)

















13084
(0.358 kg/m)




13085
(0.411 kg/m)




13086
(0.411 kg/m)




8251
(0.335 kg/m)




84195
(0.272 kg/m)




84196
(0.249 kg/m)




91962
(0.252 kg/m)




84197
(0.280 kg/m)




8250
(0.390 kg/m)




6401




6402




81454
(0.333 kg/m)




6275



5122




83869
(0.304 kg/m)




12515
(0.553 kg/m)

EQUAL ANGLES




SL No.	SECTION	SIZE			WEIGHT
		A (MM)	B (MM)	T (MM)	
01	70501	12	12	2	0.120
02	1012	15	15	1.5	0.115
03	1001	20	20	1.1	0.115
04	70510	20	20	1.5	0.156
05	1042	20	20	2	0.206
06	20311	20	20	3	0.300
07	1002	25	25	2	0.260
08	10380	25	25	3	0.381
09	1010	30	30	1.2	0.191
10	1010 H	30	30	1.5	0.237
11	1024	30	30	2	0.313
12	1007	30	30	2.5	0.389
13	1007 H	30	30	3	0.462
14	1015	40	40	2	0.421
15	1004	40	40	3	0.624
16	1009	40	40	4	0.821
17	1040	40	40	5	1.013
18	1023	50	50	2	0.530
19	1005	50	50	3	0.786
20	1008	50	50	4	1.037
21	1006	50	50	5	1.283
22	70555	50	50	6	1.523
23	70575	60	60	5	1.508
24	1011	75	75	3	1.191
25	70563	75	75	5	1.958
26	70599	80	80	8	3.283
27	75003	100	100	3	1.596
28	70570	100	100	6	3.143
29	70571	100	100	10	5.130

SQUARE - TUBE



SL No.	SECTION	SIZE			WEIGHT
		A (MM)	B (MM)	T (MM)	
01	80267	15	15	2	0.281
02	80249	16	16	3	0.421
03	20102	20	20	2	0.389
04	80248	20	20	3	0.551
05	5027 H	25	25	1.8	0.451
06	20511	25	25	3	0.713
07	5055	30	30	1	0.313
08	5055 H	30	30	1.8	0.548
09	80210	30	30	3	0.875
10	13506	35	35	1.5	0.542
11	5012	40	40	1	0.422
12	5012 H	40	40	1.8	0.745
13	5097	40	40	3	1.200
14	80215	40	40	4	1.556
15	5031 L	50	50	1.5	0.786
16	5031 M	50	50	2	1.037
17	5031 H	50	50	3	1.523
18	80239	50	50	4	1.987
19	80237	50	50	5.5	2.643
20	80233	60	60	2	1.252
21	80224	60	60	3	1.847
22	80206	60	60	4	2.420
23	80229	70	70	2	1.470
24	5200	75	75	2.8	2.183
25	5030	80	80	2	1.684
26	5116	80	80	3	2.495
27	5069	100	100	2	2.117
28	5094	100	100	3	3.143
29	80250	100	100	5	4.935
30	20157	150	150	3	4.763
31	85202	200	200	3	6.383
32	80282	200	200	4	8.467

RECTANGULAR - TUBE



SL No.	SECTION	SIZE			WEIGHT
		A (MM)	B (MM)	T (MM)	
01	80381	20	10	1.5	0.218
02	80334	25	15	1.5	0.389
03	80457	30	20	2	0.497
04	80374	40	15	1.5	0.421
05	5008	40	20	1	0.313
06	5008 H	40	20	1.8	0.550
07	80324	40	20	2.5	0.743
08	80323	40	20	3	0.875
09	2512	50	15	1.5	0.502
10	20203	50	20	1.8	0.645
11	80319	50	25	2	0.767
12	80302	50	25	3	1.118
13	80475	50	30	2	0.821
14	80442	50	30	3	1.119
15	5007	60	20	2	0.821
16	80373	60	30	2	0.929
17	80333	60	30	3	1.361
18	5044	60	40	2	1.037
19	80432	75	20	1.7	0.841
20	5092	80	15	1	0.453
21	5040	80	20	2	1.037
22	5054	80	40	1.1	0.700
23	5054 H	80	40	1.8	1.131
24	5101	80	40	3	1.848
25	80321	80	50	2	1.361
26	80301	80	50	3	2.010
27	5009	100	20	0.9	0.574
28	5009 H	100	20	2	1.253
29	80313	100	30	2	1.361
30	5029	100	40	1	0.745
31	5004	100	40	2	1.468
32	80310	100	40	3	2.171
33	5074	100	50	1	0.799
34	5074 H	100	50	1.6	1.269

FLAT BARS

SL No.	SECTION	WEIGHT	SIZE
01	10058	0.130	16 x 3 MM
02	10956	0.110	20 x 2 MM
03	70022	0.162	20 x 3 MM
04	70023	0.270	20 x 5 MM
05	12250	0.135	25 x 2 MM
06	10059	0.203	25 x 3 MM
07	70024	0.338	25 x 3 MM
08	70091	0.675	25 x 10 MM
09	7036	0.162	30 x 2 MM
10	10060	0.243	30 x 3 MM
11	10004	0.405	30 x 5 MM
12	70005	0.810	30 x 10 MM
13	70096	0.216	40 x 2 MM
14	7020	0.324	40 x 3 MM
15	7002	0.432	40 x 4 MM
16	10007	0.54	40 x 5 MM
17	10040	0.648	40 x 6 MM
18	70006	0.864	40 x 8 MM
19	10914	1.08	40 x 10 MM
20	70040	0.270	50 x 2 MM
21	10959	0.405	50 x 3 MM
22	7001	0.540	50 x 4 MM
23	10009	0.675	50 x 5 MM
24	70045	1.350	50 x 10 MM
25	16547	1.620	60 x 10 MM
26	10041	1.215	75 x 6 MM
27	70061	1.296	80 x 6 MM
28	70062	1.728	80 x 8 MM
29	70069	0.810	100 x 3 MM
30	70071	1.620	100 x 6 MM
31	10047	2.700	100 x 10 MM
32	70077	2.592	120 x 8 MM
33	70078	2.430	150 x 6 MM
34	70076	4.050	150 x 10 MM

ROUND - PIPE

SL No.	SECTION	WEIGHT	SIZE
01	80047	0.331	16 x 3 MM
02	80011	0.407	19 x 3 MM
03	20002	0.306	20 x 2 MM
04	6034	0.390	25 x 2 MM
05	80110	0.560	25 x 3 MM
06	80033	0.475	30 x 2 MM
07	80081	0.687	30 x 3 MM
08	20014	0.640	40 x 2 MM
09	6007	0.942	40 x 3 MM
10	20096	1.221	40 x 4 MM
11	6011	0.815	50 x 2 MM
12	6016	1.196	50 x 3 MM
13	80053	1.561	50 x 4 MM
14	90307	1.239	75 x 2 MM
15	6060	0.984	60 x 2 MM
16	80002	1.451	60 x 3 MM
17	20092	1.908	50 x 5 MM
18	80043	1.833	75 x 3 MM
19	80042	1.960	80 x 3 MM
20	6027	2.468	100 x 3 MM
21	80075	7.635	100 x 10 MM
22	80091	3.741	150 x 3 MM

SQUARE BARS

SL No.	SECTION	WEIGHT	SIZE
01	70233	0.270	10 x 10 MM
02	70108	0.389	12 x 12 MM
03	10111	0.691	16 x 16 MM
04	10103	1.080	20 x 20MM

ROUND BARS

SL No.	SECTION	WEIGHT	SIZE
01	70427	0.076	6 MM DIA
02	20313	0.305	12 MM DIA
03	70447	0.848	20 MM DIA
04	70433	1.326	25 MM DIA



HANDLE 808 HEAVY



HANDLE 4 SCREW 225



HANDLE 224 METAL



HANDLE DOMUS HEAVY



HANDLE DOMUS MEDIUM




HANDLE CREMONE



H/W HANDLE NORMAL



H/W HANDLE ROLLER



H/W HANDLE BUSH



C/W HANDLE BIG



C/W HANDLE SMALL



PAD HANDLE



PIPE HANDLE



SLIDING HANDLE



HINGES 60 MM



HINGES 40 MM



H/D HINGES



L/D HINGES



KLIK LOCK



JAPAN LOCK SINGLE



JAPAN LOCK DOUBLE



PUSH LOCK



LOCK LATCH & ROLLER



LOCK KNOB WITH KEY



HOOK LOCK



FINGER CATCH



INSIDE TOWER BOLT



EXTERNAL TOWER BOLT



DRILL BIT



FREEZING BIT



ALUMINIUM SIDE ARM



SS STAY BAR



ALUMINIUM FLYSCREEN



FIBER FLYSCREEN



PROTECTION TAPE



BLIND RIVET



IRON CASE ROLLER



BOX ROLLER



JUMBO ROLLER



DOUBLE BOX ROLLER



ROLLER 1" & 3/4"



WEATHER STRIP



SS KITCHEN HANDLE



MIGNON HINGES



HINGES NORMAL



HINGES HYDRAULIC



BALL BEARING RAILING



ALUMINIUM RAILING



MACHINE SCREWS



SELF TAPPING SCREWS



WOOD SCREWS

CURTAIN WALL GASKETS



CC50



CC70/H-FR2



CC140



CC100



CC150



CC160



CC170

ROUND GASKETS



5.5 MM



5 MM



4.5 MM



4 MM



3.5 MM



3 MM

GLAZING GASKETS



7 MM



6 MM



5.5 MM



5 MM



4.5 MM



4 MM



3.5 MM



3 MM



2.5 MM



2 MM



1.5 MM

ALUMINIUM PLAIN SHEETS

SIZE		THICKNESS
CENTIMETER	FEET	
122 x 244	4 x 8	0.5 mm To 30 mm
122 x 300	4 x 10	1 mm To 10 mm
150 x 300	5 x 10	1 mm To 10 mm



ALUMINIUM CHEQUERED SHEETS

SIZE		THICKNESS
CENTIMETER	FEET	
122 x 244	4 x 8	1 mm To 8 mm (Base)



H P L SHEETS

COLOURS		SIZE (mm)	THICKNESS
WH	BG	130 x 280	2 mm
WH	BG	130 x 280	2.5 mm
WH	BG	130 x 280	4 mm
WH	BG	130 x 280	5 mm



ALUMINIUM PLY

COLOURS		SIZE (mm)	THICKNESS
WH	BG	122 x 244	6 mm



AMPLIMESH GRILLS

COLOURS		SIZE (mm)	THICKNESS
WH	BG	122 x 590	6 mm







Head Office

Industrial Area 10, Sharjah
Tel. : +971 6 527 64 64
E-mail : ralmajaz@eim.ae

Branch

Emirates Industrial City Sajja
Tel. : +971 6 527 19 11 
E-mail : ralmajaz@eim.ae



P. O. Box : 4150, Sharjah - UAE

Web : www.ruknalmajazaluminium.com